

Notice of Allowability

Application No.

10/735,508

Applicant(s)

JUNG, SUK-HYEN

Examiner

Art Unit

Khai Tran

2611

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to the amendment filed 6/20/2007.

2. The allowed claim(s) is/are 1,12-14,18 and 25-29.

3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f):

a) All b) Some* c) None of the:

1. Certified copies of the priority documents have been received.

2. Certified copies of the priority documents have been received in Application No. ____.

3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: ____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.

(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) hereto or 2) to Paper No./Mail Date ____.

(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of
Paper No./Mail Date ____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)

5. Notice of Informal Patent Application

2. Notice of Draftsperson's Patent Drawing Review (PTO-948)

6. Interview Summary (PTO-413),
Paper No./Mail Date ____.

3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date ____.

7. Examiner's Amendment/Comment

4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material

8. Examiner's Statement of Reasons for Allowance

9. Other ____.

REASONS FOR ALLOWANCE

1. The amendment filed 6/20/2007 has been entered. Claims 1, 3-11, 15-17, 19-24, 30-31 have been cancelled. Claims 2, 12, 13-14, 18, 25-29 are pending in this Office action.

Allowable Subject Matter

2. Claims 1, 12, 13-14, 18, and 25-29 are allowed.

3. The following is a statement of reasons for the indication of allowable subject matter: the admitted prior art, Suzuki, and Sindhushayana fail to disclose a delay configured to delay the second coded signal to provide a time-delayed second coded signal, wherein the transmission unit is configured to transmit the time-delayed second coded signal in lieu of the second coded signal; the two or more signals further comprise a third signal, wherein the apparatus further comprises a third multiplier configured to multiply the third signal to provide a third coded signal, and wherein the transmission unit is further configured to transmit the third coded signal; a second delay configured to delay the second coded signal to provide a time-delayed second coded signal; a third delay configured to delay the third coded signal to provide a time-delayed third coded signal; and wherein the transmission unit is configured to transmit the time-delayed second and third coded signals in lieu of the second and third coded signals, respectively; wherein the second delay is configured to delay the second coded signal for a second delay period, wherein the third delay is configured to delay the third coded signal for a third delay period, and wherein the second and third delay periods are different from each other.

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to KHAI TRAN whose telephone number is (571) 272-3019. The examiner can normally be reached on 7:00AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JAY PATEL can be reached on (571) 272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Khai Tran
KHAI TRAN
Primary Examiner
Art Unit 2611